Cleanroom Gloves Product Information – HALYARD* PUREZERO* HG5 White Nitrile Gloves

Product Family: HALYARD* PUREZERO* HG5 White Nitrile Gloves
Product Codes: CLN30512XS, CLN30512SM, CLN30512MD, CLN30512LG, CLN30512XL, CLN305122XL

ISO 374-1/TYPE B KTP EN ISO 374-1:2016+A1:2018	Permeation Test EN 16523-1:2015+A1:2018		Degradation Test EN ISO 374-4:2019
	Minimum breakthrough time (min)	Performance Level	Degradation (%)
Sodium Hydroxide, 40% (K)	>480	6	-57.3
Formaldehyde, 37% (T)	>480	6	19.0
Hydrogen Peroxide, 30% (P)	>480	6	-22.7

- EN ISO 21420:2020 Dexterity Classification = 5

Protection against micro-organisms risks to EN ISO 374-5:2016
Bacteria and fungi (Test method EN ISO 374-2:2019) PASS
Viruses (Test Method ISO 16604:2004) PASS

ISO 374-5:2016 VIRUS

AQL 1.0 Level 2 GI
Manufactured at our SAFESKIN* Facility

Product Family: HALYARD* PUREZERO* HG5 Blue SGX* Nitrile Gloves
Product Codes: CLN92512XS, CLN92512SM, CLN92512MD, CLN92512LG, CLN92512XL

ISO 374-1/TYPE B KTJ EN ISO 374-1:2016+A1:2018	Permeation Test EN 16523-1:2015+A1:2018		Degradation Test EN ISO 374-4:2019
	Minimum breakthrough time (min)	Performance Level	Degradation (%)
Sodium Hydroxide, 40% (K)	>480	6	-64.2
Formaldehyde, 37% (T)	>480	6	-49.5
n-Heptane, 99% (J)	>480	6	55.5

- EN ISO 21420:2020 Dexterity Classification = 5

Protection against micro-organisms risks to EN ISO 374-5:2016
Bacteria and fungi (Test method EN ISO 374-2:2019) PASS
Viruses (Test Method ISO 16604:2004) PASS

AQL 1.0 Level 2 GI
Manufactured at our SAFESKIN* Facility

Product Family: HALYARD* PUREZERO* HG5 Blue Nitrile 10 in. Gloves
Product Codes: CLN90511XS, CLN90511SM, CLN90511MD, CLN90511LG, CLN90511XL

ISO 374-1/TYPE B KTP EN ISO 374-1:2016+A1:2018	Permeation Test EN 16523-1:2015+A1:2018		Degradation Test EN ISO 374-4:2019
	Minimum breakthrough time (min)	Performance Level	Degradation (%)
Sodium Hydroxide, 40% (K)	>480	6	-63.4
Formaldehyde, 37% (T)	>480	6	-48.5
Hydrogen Peroxide, 30% (P)	211.5	4	-10.3

- EN ISO 21420:2020 Dexterity Classification = 5

Protection against micro-organisms risks to EN ISO 374-5:2016
Bacteria and fungi (Test method EN ISO 374-2:2019) PASS
Viruses (Test Method ISO 16604:2004) PASS

AQL 1.0 Level 2 GI
Manufactured at our SAFESKIN* Facility